

BARGE "BUNKER NEW ENGLAND"

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 12'-6"


IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.
0		0	2,261.90	0	1,986.40	0	1,709.46	0	1,432.52	0	1,155.58	0	889.43	0	644.60	0	422.96	0	227.74	0	60.52
1/4		1/4	2,256.61	1/4	1,980.63	1/4	1,703.69	1/4	1,426.75	1/4	1,149.81	1/4	884.11	1/4	639.72	1/4	418.61	1/4	223.96	1/4	57.34
1/2		1/2	2,251.32	1/2	1,974.86	1/2	1,697.92	1/2	1,420.98	1/2	1,144.04	1/2	878.79	1/2	634.83	1/2	414.25	1/2	220.17	1/2	54.15
3/4		3/4	2,246.03	3/4	1,969.09	3/4	1,692.15	3/4	1,415.21	3/4	1,138.27	3/4	873.47	3/4	629.95	3/4	409.90	3/4	216.39	3/4	50.97
1		1	2,240.26	1	1,963.32	1	1,686.38	1	1,409.44	1	1,132.50	1	868.15	1	625.07	1	405.55	1	212.61	1	47.78
1/4		1/4	2,234.49	1/4	1,957.56	1/4	1,680.61	1/4	1,403.67	1/4	1,126.73	1/4	862.83	1/4	620.19	1/4	401.19	1/4	208.83	1/4	44.60
1/2		1/2	2,228.72	1/2	1,951.79	1/2	1,674.84	1/2	1,397.90	1/2	1,120.96	1/2	857.51	1/2	615.31	1/2	396.84	1/2	205.05	1/2	41.41
3/4		3/4	2,222.95	3/4	1,946.02	3/4	1,669.07	3/4	1,392.13	3/4	1,115.19	3/4	852.19	3/4	610.43	3/4	392.49	3/4	201.27	3/4	38.23
2		2	2,217.18	2	1,940.25	2	1,663.30	2	1,386.36	2	1,109.42	2	846.87	2	605.55	2	388.13	2	197.49	2	35.04
1/4		1/4	2,211.41	1/4	1,934.48	1/4	1,657.53	1/4	1,380.59	1/4	1,103.65	1/4	841.55	1/4	600.67	1/4	383.78	1/4	193.71	1/4	31.85
1/2		1/2	2,205.64	1/2	1,928.71	1/2	1,651.76	1/2	1,374.82	1/2	1,097.88	1/2	836.23	1/2	595.78	1/2	379.42	1/2	189.92	1/2	28.66
3/4		3/4	2,199.87	3/4	1,922.94	3/4	1,645.99	3/4	1,369.06	3/4	1,092.11	3/4	830.91	3/4	590.90	3/4	375.07	3/4	186.14	3/4	25.48
3		3	2,194.11	3	1,917.17	3	1,640.22	3	1,363.29	3	1,086.34	3	825.59	3	586.02	3	370.72	3	182.36	3	22.29
1/4		1/4	2,188.34	1/4	1,911.40	1/4	1,634.46	1/4	1,357.52	1/4	1,080.57	1/4	820.27	1/4	581.14	1/4	366.36	1/4	178.58	1/4	19.50
1/2		1/2	2,182.57	1/2	1,905.63	1/2	1,628.69	1/2	1,351.75	1/2	1,074.80	1/2	814.95	1/2	576.26	1/2	362.01	1/2	174.80	1/2	16.71
3/4		3/4	2,176.80	3/4	1,899.86	3/4	1,622.92	3/4	1,345.98	3/4	1,069.03	3/4	809.63	3/4	571.38	3/4	357.66	3/4	171.02	3/4	13.92
4		4	2,171.03	4	1,894.09	4	1,617.15	4	1,340.21	4	1,063.26	4	804.31	4	566.50	4	353.30	4	167.24	4	11.14
1/4		1/4	2,165.26	1/4	1,888.32	1/4	1,611.38	1/4	1,334.44	1/4	1,057.49	1/4	798.99	1/4	561.62	1/4	348.95	1/4	163.46	1/4	9.28
1/2		1/2	2,159.49	1/2	1,882.55	1/2	1,605.61	1/2	1,328.67	1/2	1,051.72	1/2	793.67	1/2	556.73	1/2	344.60	1/2	159.68	1/2	7.42
3/4		3/4	2,153.72	3/4	1,876.78	3/4	1,599.84	3/4	1,322.90	3/4	1,045.95	3/4	788.35	3/4	551.85	3/4	340.24	3/4	155.89	3/4	5.56
5		5	2,147.95	5	1,871.01	5	1,594.07	5	1,317.13	5	1,040.18	5	783.03	5	546.97	5	335.89	5	152.11	5	3.70
1/4		1/4	2,142.18	1/4	1,865.24	1/4	1,588.30	1/4	1,311.36	1/4	1,034.41	1/4	777.71	1/4	542.09	1/4	331.53	1/4	148.33	1/4	2.91
1/2		1/2	2,136.41	1/2	1,859.47	1/2	1,582.53	1/2	1,305.59	1/2	1,028.64	1/2	772.39	1/2	537.21	1/2	327.18	1/2	144.55	1/2	2.11
3/4		3/4	2,130.64	3/4	1,853.70	3/4	1,576.76	3/4	1,299.82	3/4	1,022.88	3/4	767.07	3/4	532.33	3/4	322.83	3/4	140.77	3/4	1.32
6		6	2,124.87	6	1,847.93	6	1,570.99	6	1,294.05	6	1,017.11	6	761.75	6	527.45	6	318.47	6	136.99	6	0.52
1/4		1/4	2,119.10	1/4	1,842.17	1/4	1,565.22	1/4	1,288.28	1/4	1,011.79	1/4	756.86	1/4	523.09	1/4	314.69	1/4	133.80	1/4	
1/2		1/2	2,113.33	1/2	1,836.40	1/2	1,559.45	1/2	1,282.51	1/2	1,006.47	1/2	751.98	1/2	518.74	1/2	310.91	1/2	130.62	1/2	
3/4		3/4	2,107.56	3/4	1,830.63	3/4	1,553.68	3/4	1,276.74	3/4	1,001.15	3/4	747.10	3/4	514.39	3/4	307.13	3/4	127.43	3/4	
7		7	2,101.79	7	1,824.86	7	1,547.91	7	1,270.97	7	995.83	7	742.22	7	510.03	7	303.35	7	124.24	7	
1/4		1/4	2,096.02	1/4	1,819.09	1/4	1,542.14	1/4	1,265.20	1/4	990.51	1/4	737.34	1/4	505.68	1/4	299.57	1/4	121.06	1/4	
1/2	2,313.84	1/2	2,090.25	1/2	1,813.32	1/2	1,536.37	1/2	1,259.43	1/2	985.19	1/2	732.46	1/2	501.33	1/2	295.79	1/2	117.87	1/2	
3/4	2,313.36	3/4	2,084.48	3/4	1,807.55	3/4	1,530.60	3/4	1,253.66	3/4	979.87	3/4	727.58	3/4	496.97	3/4	292.01	3/4	114.69	3/4	
8		8	2,078.72	8	1,801.78	8	1,524.83	8	1,247.89	8	974.55	8	722.70	8	492.62	8	288.23	8	111.50	8	
1/4	2,310.37	1/4	2,072.95	1/4	1,796.01	1/4	1,519.06	1/4	1,242.12	1/4	969.23	1/4	717.81	1/4	488.27	1/4	284.45	1/4	108.31	1/4	
1/2	2,308.88	1/2	2,067.18	1/2	1,790.24	1/2	1,513.29	1/2	1,236.35	1/2	963.91	1/2	712.93	1/2	483.91	1/2	280.67	1/2	105.13	1/2	
3/4	2,307.38	3/4	2,061.41	3/4	1,784.47	3/4	1,507.52	3/4	1,230.58	3/4	958.59	3/4	708.05	3/4	479.56	3/4	276.89	3/4	101.94	3/4	
9	2,305.03	9	2,055.64	9	1,778.70	9	1,501.75	9	1,224.82	9	953.27	9	703.17	9	475.20	9	273.10	9	98.76	9	
1/4	2,302.67	1/4	2,049.87	1/4	1,772.93	1/4	1,495.98	1/4	1,219.05	1/4	947.95	1/4	698.29	1/4	470.85	1/4	269.32	1/4	95.57	1/4	
1/2	2,300.32	1/2	2,044.10	1/2	1,767.16	1/2	1,490.22	1/2	1,213.28	1/2	942.63	1/2	693.41	1/2	466.50	1/2	265.54	1/2	92.38	1/2	
3/4	2,297.97	3/4	2,038.33	3/4	1,761.39	3/4	1,484.45	3/4	1,207.51	3/4	937.31	3/4	688.53	3/4	462.14	3/4	261.76	3/4	89.20	3/4	
10	2,294.60	10	2,032.56	10	1,755.62	10	1,478.68	10	1,201.74	10	931.99	10	683.65	10	457.79	10	257.98	10	86.01	10	
1/4	2,291.23	1/4	2,026.79	1/4	1,749.85	1/4	1,472.91	1/4	1,195.97	1/4	926.67	1/4	678.76	1/4	453.44	1/4	254.20	1/4	82.83	1/4	
1/2	2,287.86	1/2	2,021.02	1/2	1,744.08	1/2	1,467.14	1/2	1,190.20	1/2	921.35	1/2	673.88	1/2	449.08	1/2	250.42	1/2	79.64	1/2	
3/4	2,284.50	3/4	2,015.25	3/4	1,738.31	3/4	1,461.37	3/4	1,184.43	3/4	916.03	3/4	669.00	3/4	444.73	3/4	246.64	3/4	76.45	3/4	
11	2,280.17	11	2,009.48	11	1,732.54	11	1,455.60	11	1,178.66	11	910.71	11	664.12	11	440.38	11	242.86	11	73.27	11	
1/4	2,275.85	1/4	2,003.71	1/4	1,726.77	1/4	1,449.83	1/4	1,172.89	1/4	905.39	1/4	659.24	1/4	436.02	1/4	239.08	1/4	70.08	1/4	
1/2	2,271.52	1/2	1,997.94	1/2	1,721.00	1/2	1,444.06	1/2	1,167.12	1/2	900.07	1/2	654.36	1/2	431.67	1/2	235.30	1/2	66.90	1/2	
3/4	2,267.19	3/4	1,992.17	3/4	1,715.23	3/4	1,438.29	3/4	1,161.35	3/4	894.75	3/4	649.48	3/4	427.31	3/4	231.52	3/4	63.71	3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF GAUGE HATCH, OPPOSITE HINGE.
LOCATED 3'-3" OFF CENTERLINE AND 3'-6" FORWARD OF AFT. BULKHEAD.
NOTE: CAPACITY TABLE APPLIES ONLY WHEN BARGE IS ON EVEN KEEL.
NOTE: CAPACITY TABLE CANCELS & SUPERSEDES ALL PREVIOUS STRAPPINGS DUE TO NEW GAUGE HEIGHTS.

ITS - CALEB BRETT

DATE REMEASURED: 6/10/02 BY: DB-KF
DATE COMPUTED: 7/31/02 BY: KS
DATE ISSUED: 7/31/02



BARGE "BUNKER NEW ENGLAND"

1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 12'-6"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.
0		0	2,267.40	0	1,991.23	0	1,713.62	0	1,436.01	0	1,158.40	0	891.60	0	646.17	0	424.02	0	228.28	0	60.68
1/4		1/4	2,262.10	1/4	1,985.45	1/4	1,707.84	1/4	1,430.23	1/4	1,152.61	1/4	886.27	1/4	641.28	1/4	419.66	1/4	224.49	1/4	57.48
1/2		1/2	2,256.80	1/2	1,979.67	1/2	1,702.06	1/2	1,424.44	1/2	1,146.83	1/2	880.93	1/2	636.38	1/2	415.30	1/2	220.71	1/2	54.29
3/4		3/4	2,251.50	3/4	1,973.88	3/4	1,696.27	3/4	1,418.66	3/4	1,141.04	3/4	875.60	3/4	631.49	3/4	410.93	3/4	216.92	3/4	51.09
1		1	2,245.71	1	1,968.10	1	1,690.49	1	1,412.88	1	1,135.26	1	870.27	1	626.60	1	406.57	1	213.13	1	47.90
1/4		1/4	2,239.93	1/4	1,962.32	1/4	1,684.71	1/4	1,407.09	1/4	1,129.48	1/4	864.93	1/4	621.70	1/4	402.21	1/4	209.34	1/4	44.70
1/2		1/2	2,234.14	1/2	1,956.53	1/2	1,678.92	1/2	1,401.31	1/2	1,123.69	1/2	859.60	1/2	616.81	1/2	397.84	1/2	205.55	1/2	41.51
3/4		3/4	2,228.36	3/4	1,950.75	3/4	1,673.14	3/4	1,395.52	3/4	1,117.91	3/4	854.27	3/4	611.92	3/4	393.48	3/4	201.76	3/4	38.32
2		2	2,222.58	2	1,944.97	2	1,667.36	2	1,389.74	2	1,112.13	2	848.93	2	607.02	2	389.12	2	197.97	2	35.13
1/4		1/4	2,216.79	1/4	1,939.18	1/4	1,661.57	1/4	1,383.96	1/4	1,106.34	1/4	843.60	1/4	602.13	1/4	384.76	1/4	194.18	1/4	31.93
1/2		1/2	2,211.01	1/2	1,933.40	1/2	1,655.79	1/2	1,378.17	1/2	1,100.56	1/2	838.27	1/2	597.24	1/2	380.39	1/2	190.39	1/2	28.74
3/4		3/4	2,205.23	3/4	1,927.62	3/4	1,650.00	3/4	1,372.39	3/4	1,094.78	3/4	832.94	3/4	592.34	3/4	376.03	3/4	186.60	3/4	25.54
3		3	2,199.44	3	1,921.83	3	1,644.22	3	1,366.61	3	1,088.99	3	827.60	3	587.45	3	371.67	3	182.81	3	22.34
1/4		1/4	2,193.66	1/4	1,916.05	1/4	1,638.44	1/4	1,360.82	1/4	1,083.21	1/4	822.27	1/4	582.56	1/4	367.30	1/4	179.02	1/4	19.55
1/2		1/2	2,187.88	1/2	1,910.27	1/2	1,632.65	1/2	1,355.04	1/2	1,077.42	1/2	816.94	1/2	577.66	1/2	362.94	1/2	175.23	1/2	16.76
3/4		3/4	2,182.09	3/4	1,904.48	3/4	1,626.87	3/4	1,349.26	3/4	1,071.64	3/4	811.60	3/4	572.77	3/4	358.58	3/4	171.44	3/4	13.96
4		4	2,176.31	4	1,898.70	4	1,621.09	4	1,343.47	4	1,065.86	4	806.27	4	567.88	4	354.22	4	167.65	4	11.17
1/4		1/4	2,170.52	1/4	1,892.92	1/4	1,615.30	1/4	1,337.69	1/4	1,060.07	1/4	800.94	1/4	562.98	1/4	349.85	1/4	163.86	1/4	9.31
1/2		1/2	2,164.74	1/2	1,887.13	1/2	1,609.52	1/2	1,331.90	1/2	1,054.29	1/2	795.61	1/2	558.09	1/2	345.49	1/2	160.07	1/2	7.44
3/4		3/4	2,158.96	3/4	1,881.35	3/4	1,603.74	3/4	1,326.12	3/4	1,048.51	3/4	790.27	3/4	553.20	3/4	341.13	3/4	156.28	3/4	5.58
5		5	2,153.17	5	1,875.57	5	1,597.95	5	1,320.34	5	1,042.72	5	784.94	5	548.30	5	336.76	5	152.49	5	3.72
1/4		1/4	2,147.39	1/4	1,869.78	1/4	1,592.17	1/4	1,314.55	1/4	1,036.94	1/4	779.61	1/4	543.41	1/4	332.40	1/4	148.70	1/4	2.92
1/2		1/2	2,141.60	1/2	1,864.00	1/2	1,586.38	1/2	1,308.77	1/2	1,031.16	1/2	774.27	1/2	538.52	1/2	328.04	1/2	144.91	1/2	2.12
3/4		3/4	2,135.82	3/4	1,858.22	3/4	1,580.60	3/4	1,302.99	3/4	1,025.37	3/4	768.94	3/4	533.62	3/4	323.68	3/4	141.12	3/4	1.32
6		6	2,130.04	6	1,852.43	6	1,574.82	6	1,297.20	6	1,019.59	6	763.61	6	528.73	6	319.31	6	137.33	6	0.52
1/4		1/4	2,124.25	1/4	1,846.65	1/4	1,569.03	1/4	1,291.42	1/4	1,014.26	1/4	758.71	1/4	524.37	1/4	315.52	1/4	134.13	1/4	
1/2		1/2	2,118.47	1/2	1,840.86	1/2	1,563.25	1/2	1,285.64	1/2	1,008.92	1/2	753.82	1/2	520.00	1/2	311.73	1/2	130.94	1/2	
3/4		3/4	2,112.69	3/4	1,835.08	3/4	1,557.47	3/4	1,279.85	3/4	1,003.59	3/4	748.93	3/4	515.64	3/4	307.93	3/4	127.75	3/4	
7		7	2,106.90	7	1,829.30	7	1,551.68	7	1,274.07	7	998.26	7	744.03	7	511.28	7	304.14	7	124.55	7	
1/4		1/4	2,101.12	1/4	1,823.51	1/4	1,545.90	1/4	1,268.28	1/4	992.92	1/4	739.14	1/4	506.91	1/4	300.35	1/4	121.36	1/4	
1/2	2,319.47	1/2	2,095.34	1/2	1,817.73	1/2	1,540.12	1/2	1,262.50	1/2	987.59	1/2	734.25	1/2	502.55	1/2	296.56	1/2	118.17	1/2	
3/4	2,318.98	3/4	2,089.55	3/4	1,811.95	3/4	1,534.33	3/4	1,256.72	3/4	982.26	3/4	729.35	3/4	498.19	3/4	292.76	3/4	114.97	3/4	
8	2,317.52	8	2,083.77	8	1,806.16	8	1,528.55	8	1,250.93	8	976.93	8	724.46	8	493.83	8	288.97	8	111.78	8	
1/4	2,316.07	1/4	2,077.99	1/4	1,800.38	1/4	1,522.76	1/4	1,245.15	1/4	971.59	1/4	719.57	1/4	489.46	1/4	285.18	1/4	108.58	1/4	
1/2	2,314.61	1/2	2,072.20	1/2	1,794.60	1/2	1,516.98	1/2	1,239.37	1/2	966.26	1/2	714.67	1/2	485.10	1/2	281.38	1/2	105.39	1/2	
3/4	2,313.15	3/4	2,066.42	3/4	1,788.81	3/4	1,511.20	3/4	1,233.58	3/4	960.93	3/4	709.78	3/4	480.74	3/4	277.59	3/4	102.20	3/4	
9	2,310.75	9	2,060.64	9	1,783.03	9	1,505.41	9	1,227.80	9	955.59	9	704.89	9	476.37	9	273.80	9	99.00	9	
1/4	2,308.35	1/4	2,054.85	1/4	1,777.24	1/4	1,499.63	1/4	1,222.02	1/4	950.26	1/4	699.99	1/4	472.01	1/4	270.01	1/4	95.81	1/4	
1/2	2,305.96	1/2	2,049.07	1/2	1,771.46	1/2	1,493.85	1/2	1,216.23	1/2	944.93	1/2	695.10	1/2	467.65	1/2	266.21	1/2	92.62	1/2	
3/4	2,303.56	3/4	2,043.28	3/4	1,765.68	3/4	1,488.06	3/4	1,210.45	3/4	939.59	3/4	690.21	3/4	463.29	3/4	262.42	3/4	89.42	3/4	
10	2,300.18	10	2,037.50	10	1,759.89	10	1,482.28	10	1,204.66	10	934.26	10	685.32	10	458.92	10	258.63	10	86.23	10	
1/4	2,296.81	1/4	2,031.72	1/4	1,754.11	1/4	1,476.50	1/4	1,198.88	1/4	928.93	1/4	680.42	1/4	454.56	1/4	254.83	1/4	83.03	1/4	
1/2	2,293.43	1/2	2,025.93	1/2	1,748.33	1/2	1,470.71	1/2	1,193.10	1/2	923.60	1/2	675.53	1/2	450.20	1/2	251.04	1/2	79.84	1/2	
3/4	2,290.06	3/4	2,020.15	3/4	1,742.54	3/4	1,464.93	3/4	1,187.31	3/4	918.26	3/4	670.64	3/4	445.83	3/4	247.25	3/4	76.65	3/4	
11	2,285.72	11	2,014.37	11	1,736.76	11	1,459.14	11	1,181.53	11	912.93	11	665.74	11	441.47	11	243.46	11	73.45	11	
1/4	2,281.38	1/4	2,008.58	1/4	1,730.98	1/4	1,453.36	1/4	1,175.75	1/4	907.60	1/4	660.85	1/4	437.11	1/4	239.66	1/4	70.26	1/4	
1/2	2,277.04	1/2	2,002.80	1/2	1,725.19	1/2	1,447.58	1/2	1,169.96	1/2	902.26	1/2	655.96	1/2	432.75	1/2	235.87	1/2	67.07	1/2	
3/4	2,272.70	3/4	1,997.02	3/4	1,719.41	3/4	1,441.79	3/4	1,164.18	3/4	896.93	3/4	651.06	3/4	428.38	3/4	232.08	3/4	63.87	3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF GAUGE HATCH, OPPOSITE HINGE.
LOCATED 3'-3" OFF CENTERLINE AND 3'-6" FORWARD OF AFT. BULKHEAD.
NOTE: CAPACITY TABLE APPLIES ONLY WHEN BARGE IS ON EVEN KEEL.
NOTE: CAPACITY TABLE CANCELS & SUPERSEDES ALL PREVIOUS STRAPPINGS DUE TO NEW GAUGE HEIGHTS.

ITS - CALEB BRETT

DATE REMEASURED: 6/10/02 BY: DB-KF
DATE COMPUTED: 7/31/02 BY: KS
DATE ISSUED: 7/31/02

Caleb Brett

BARGE "BUNKER NEW ENGLAND"

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 12'-6"


IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.
0		0	2,590.66	0	2,317.57	0	2,041.53	0	1,765.49	0	1,489.45	0	1,213.41	0	937.38	0	661.34	0	385.30	0	109.26
1/4		1/4	2,585.89	1/4	2,311.81	1/4	2,035.78	1/4	1,759.74	1/4	1,483.70	1/4	1,207.66	1/4	931.62	1/4	655.59	1/4	379.55	1/4	103.51
1/2		1/2	2,581.12	1/2	2,306.06	1/2	2,030.02	1/2	1,753.99	1/2	1,477.95	1/2	1,201.91	1/2	925.87	1/2	649.83	1/2	373.80	1/2	97.76
3/4		3/4	2,576.36	3/4	2,300.31	3/4	2,024.27	3/4	1,748.24	3/4	1,472.20	3/4	1,196.16	3/4	920.12	3/4	644.08	3/4	368.05	3/4	92.01
1		1	2,570.60	1	2,294.56	1	2,018.52	1	1,742.48	1	1,466.44	1	1,190.41	1	914.37	1	638.33	1	362.29	1	86.26
1/4		1/4	2,564.85	1/4	2,288.81	1/4	2,012.77	1/4	1,736.73	1/4	1,460.69	1/4	1,184.66	1/4	908.62	1/4	632.58	1/4	356.54	1/4	80.51
1/2		1/2	2,559.10	1/2	2,283.06	1/2	2,007.02	1/2	1,730.98	1/2	1,454.94	1/2	1,178.91	1/2	902.87	1/2	626.83	1/2	350.79	1/2	74.76
3/4		3/4	2,553.35	3/4	2,277.31	3/4	2,001.27	3/4	1,725.23	3/4	1,449.19	3/4	1,173.15	3/4	897.12	3/4	621.08	3/4	345.04	3/4	69.01
2		2	2,547.60	2	2,271.56	2	1,995.52	2	1,719.48	2	1,443.44	2	1,167.40	2	891.37	2	615.33	2	339.29	2	63.25
1/4		1/4	2,541.85	1/4	2,265.81	1/4	1,989.77	1/4	1,713.73	1/4	1,437.69	1/4	1,161.65	1/4	885.62	1/4	609.58	1/4	333.54	1/4	57.50
1/2		1/2	2,536.10	1/2	2,260.06	1/2	1,984.02	1/2	1,707.98	1/2	1,431.94	1/2	1,155.90	1/2	879.87	1/2	603.83	1/2	327.79	1/2	51.75
3/4		3/4	2,530.35	3/4	2,254.31	3/4	1,978.27	3/4	1,702.23	3/4	1,426.19	3/4	1,150.15	3/4	874.12	3/4	598.08	3/4	322.04	3/4	46.00
3		3	2,524.60	3	2,248.56	3	1,972.52	3	1,696.48	3	1,420.44	3	1,144.40	3	868.37	3	592.33	3	316.29	3	40.25
1/4		1/4	2,518.84	1/4	2,242.81	1/4	1,966.76	1/4	1,690.73	1/4	1,414.69	1/4	1,138.65	1/4	862.62	1/4	586.57	1/4	310.54	1/4	35.22
1/2		1/2	2,513.09	1/2	2,237.06	1/2	1,961.01	1/2	1,684.98	1/2	1,408.94	1/2	1,132.90	1/2	856.87	1/2	580.82	1/2	304.79	1/2	30.18
3/4		3/4	2,507.34	3/4	2,231.31	3/4	1,955.26	3/4	1,679.23	3/4	1,403.18	3/4	1,127.15	3/4	851.11	3/4	575.07	3/4	299.04	3/4	25.15
4		4	2,501.59	4	2,225.55	4	1,949.51	4	1,673.48	4	1,397.43	4	1,121.40	4	845.36	4	569.32	4	293.29	4	20.12
1/4		1/4	2,495.84	1/4	2,219.80	1/4	1,943.76	1/4	1,667.73	1/4	1,391.68	1/4	1,115.65	1/4	839.61	1/4	563.57	1/4	287.54	1/4	16.76
1/2		1/2	2,490.09	1/2	2,214.05	1/2	1,938.01	1/2	1,661.97	1/2	1,385.93	1/2	1,109.90	1/2	833.86	1/2	557.82	1/2	281.78	1/2	13.40
3/4		3/4	2,484.34	3/4	2,208.30	3/4	1,932.26	3/4	1,656.22	3/4	1,380.18	3/4	1,104.15	3/4	828.11	3/4	552.07	3/4	276.03	3/4	10.05
5		5	2,478.59	5	2,202.55	5	1,926.51	5	1,650.47	5	1,374.43	5	1,098.40	5	822.36	5	546.32	5	270.28	5	6.69
1/4		1/4	2,472.84	1/4	2,196.80	1/4	1,920.76	1/4	1,644.72	1/4	1,368.68	1/4	1,092.64	1/4	816.61	1/4	540.57	1/4	264.53	1/4	5.25
1/2		1/2	2,467.08	1/2	2,191.05	1/2	1,915.01	1/2	1,638.97	1/2	1,362.93	1/2	1,086.89	1/2	810.86	1/2	534.82	1/2	258.78	1/2	3.82
3/4		3/4	2,461.33	3/4	2,185.30	3/4	1,909.26	3/4	1,633.22	3/4	1,357.18	3/4	1,081.14	3/4	805.11	3/4	529.07	3/4	253.03	3/4	2.38
6		6	2,455.58	6	2,179.55	6	1,903.50	6	1,627.47	6	1,351.43	6	1,075.39	6	799.36	6	523.31	6	247.28	6	0.94
1/4		1/4	2,449.83	1/4	2,173.80	1/4	1,897.75	1/4	1,621.72	1/4	1,345.68	1/4	1,069.64	1/4	793.61	1/4	517.56	1/4	241.53	1/4	
1/2		1/2	2,444.08	1/2	2,168.05	1/2	1,892.00	1/2	1,615.97	1/2	1,339.93	1/2	1,063.89	1/2	787.86	1/2	511.81	1/2	235.78	1/2	
3/4		3/4	2,438.33	3/4	2,162.30	3/4	1,886.25	3/4	1,610.22	3/4	1,334.17	3/4	1,058.14	3/4	782.11	3/4	506.06	3/4	230.03	3/4	
7		7	2,432.58	7	2,156.54	7	1,880.50	7	1,604.47	7	1,328.42	7	1,052.39	7	776.35	7	500.31	7	224.28	7	
1/4		1/4	2,426.83	1/4	2,150.79	1/4	1,874.75	1/4	1,598.72	1/4	1,322.67	1/4	1,046.64	1/4	770.60	1/4	494.56	1/4	218.53	1/4	
1/2	2,643.93	1/2	2,421.08	1/2	2,145.04	1/2	1,869.00	1/2	1,592.97	1/2	1,316.92	1/2	1,040.89	1/2	764.85	1/2	488.81	1/2	212.78	1/2	
3/4	2,643.45	3/4	2,415.33	3/4	2,139.29	3/4	1,863.25	3/4	1,587.21	3/4	1,311.17	3/4	1,035.14	3/4	759.10	3/4	483.06	3/4	207.02	3/4	
8	2,642.02	8	2,409.58	8	2,133.54	8	1,857.50	8	1,581.46	8	1,305.42	8	1,029.39	8	753.35	8	477.31	8	201.27	8	
1/4	2,640.58	1/4	2,403.83	1/4	2,127.79	1/4	1,851.75	1/4	1,575.71	1/4	1,299.67	1/4	1,023.64	1/4	747.60	1/4	471.56	1/4	195.52	1/4	
1/2	2,639.14	1/2	2,398.08	1/2	2,122.04	1/2	1,846.00	1/2	1,569.96	1/2	1,293.92	1/2	1,017.89	1/2	741.85	1/2	465.81	1/2	189.77	1/2	
3/4	2,637.70	3/4	2,392.32	3/4	2,116.29	3/4	1,840.25	3/4	1,564.21	3/4	1,288.17	3/4	1,012.13	3/4	736.10	3/4	460.06	3/4	184.02	3/4	
9	2,635.30	9	2,386.57	9	2,110.54	9	1,834.50	9	1,558.46	9	1,282.42	9	1,006.38	9	730.35	9	454.31	9	178.27	9	
1/4	2,632.91	1/4	2,380.82	1/4	2,104.79	1/4	1,828.75	1/4	1,552.71	1/4	1,276.67	1/4	1,000.63	1/4	724.60	1/4	448.56	1/4	172.52	1/4	
1/2	2,630.51	1/2	2,375.07	1/2	2,099.04	1/2	1,822.99	1/2	1,546.96	1/2	1,270.92	1/2	994.88	1/2	718.85	1/2	442.80	1/2	166.77	1/2	
3/4	2,628.11	3/4	2,369.32	3/4	2,093.28	3/4	1,817.24	3/4	1,541.21	3/4	1,265.17	3/4	989.13	3/4	713.09	3/4	437.05	3/4	161.02	3/4	
10	2,624.76	10	2,363.57	10	2,087.53	10	1,811.49	10	1,535.46	10	1,259.42	10	983.38	10	707.34	10	431.30	10	155.27	10	
1/4	2,621.41	1/4	2,357.82	1/4	2,081.78	1/4	1,805.74	1/4	1,529.70	1/4	1,253.66	1/4	977.63	1/4	701.59	1/4	425.55	1/4	149.52	1/4	
1/2	2,618.05	1/2	2,352.07	1/2	2,076.03	1/2	1,799.99	1/2	1,523.95	1/2	1,247.91	1/2	971.88	1/2	695.84	1/2	419.80	1/2	143.77	1/2	
3/4	2,614.70	3/4	2,346.32	3/4	2,070.28	3/4	1,794.24	3/4	1,518.20	3/4	1,242.16	3/4	966.13	3/4	690.09	3/4	414.05	3/4	138.01	3/4	
11	2,609.88	11	2,340.57	11	2,064.53	11	1,788.49	11	1,512.45	11	1,236.41	11	960.38	11	684.34	11	408.30	11	132.26	11	
1/4	2,605.06	1/4	2,334.82	1/4	2,058.78	1/4	1,782.74	1/4	1,506.70	1/4	1,230.66	1/4	954.63	1/4	678.59	1/4	402.55	1/4	126.51	1/4	
1/2	2,600.24	1/2	2,329.07	1/2	2,053.03	1/2	1,776.99	1/2	1,500.95	1/2	1,224.91	1/2	948.88	1/2	672.84	1/2	396.80	1/2	120.76	1/2	
3/4	2,595.42	3/4	2,323.32	3/4	2,047.28	3/4	1,771.24	3/4	1,495.20	3/4	1,219.16	3/4	943.13	3/4	667.09	3/4	391.05	3/4	115.01	3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF GAUGE HATCH, OPPOSITE HINGE.
LOCATED 3'-3" OFF CENTERLINE AND 3'-6" FORWARD OF AFT. BULKHEAD.
NOTE: CAPACITY TABLE APPLIES ONLY WHEN BARGE IS ON EVEN KEEL.
NOTE: CAPACITY TABLE CANCELS & SUPERSEDES ALL PREVIOUS STRAPPINGS DUE TO NEW GAUGE HEIGHTS.

ITS - CALEB BRETT

DATE REMEASURED: 6/10/02 BY: DB-KF
DATE COMPUTED: 7/31/02 BY: KS
DATE ISSUED: 7/31/02



BARGE "BUNKER NEW ENGLAND"

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 12'-6"


IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.
0		0	2,599.61	0	2,324.21	0	2,047.39	0	1,770.56	0	1,493.73	0	1,216.90	0	940.06	0	663.23	0	386.40	0	109.57
1/4		1/4	2,594.32	1/4	2,318.45	1/4	2,041.62	1/4	1,764.79	1/4	1,487.96	1/4	1,211.13	1/4	934.30	1/4	657.46	1/4	380.64	1/4	103.81
1/2		1/2	2,589.03	1/2	2,312.68	1/2	2,035.85	1/2	1,759.02	1/2	1,482.19	1/2	1,205.36	1/2	928.53	1/2	651.70	1/2	374.87	1/2	98.04
3/4		3/4	2,583.75	3/4	2,306.91	3/4	2,030.08	3/4	1,753.26	3/4	1,476.43	3/4	1,199.59	3/4	922.76	3/4	645.93	3/4	369.10	3/4	92.27
1		1	2,577.98	1	2,301.14	1	2,024.32	1	1,747.49	1	1,470.66	1	1,193.83	1	916.99	1	640.16	1	363.34	1	86.51
1/4		1/4	2,572.21	1/4	2,295.38	1/4	2,018.55	1/4	1,741.72	1/4	1,464.89	1/4	1,188.06	1/4	911.23	1/4	634.39	1/4	357.57	1/4	80.74
1/2		1/2	2,566.44	1/2	2,289.61	1/2	2,012.78	1/2	1,735.96	1/2	1,459.12	1/2	1,182.29	1/2	905.46	1/2	628.63	1/2	351.80	1/2	74.97
3/4		3/4	2,560.68	3/4	2,283.84	3/4	2,007.02	3/4	1,730.19	3/4	1,453.36	3/4	1,176.52	3/4	899.69	3/4	622.86	3/4	346.03	3/4	69.20
2		2	2,554.91	2	2,278.07	2	2,001.25	2	1,724.42	2	1,447.59	2	1,170.76	2	893.92	2	617.09	2	340.27	2	63.44
1/4		1/4	2,549.14	1/4	2,272.31	1/4	1,995.48	1/4	1,718.65	1/4	1,441.82	1/4	1,164.99	1/4	888.16	1/4	611.33	1/4	334.50	1/4	57.67
1/2		1/2	2,543.37	1/2	2,266.54	1/2	1,989.72	1/2	1,712.89	1/2	1,436.05	1/2	1,159.22	1/2	882.39	1/2	605.56	1/2	328.73	1/2	51.90
3/4		3/4	2,537.61	3/4	2,260.77	3/4	1,983.95	3/4	1,707.12	3/4	1,430.29	3/4	1,153.45	3/4	876.62	3/4	599.79	3/4	322.97	3/4	46.14
3		3	2,531.84	3	2,255.01	3	1,978.18	3	1,701.35	3	1,424.52	3	1,147.69	3	870.86	3	594.02	3	317.20	3	40.37
1/4		1/4	2,526.07	1/4	2,249.24	1/4	1,972.41	1/4	1,695.58	1/4	1,418.75	1/4	1,141.92	1/4	865.09	1/4	588.26	1/4	311.43	1/4	35.32
1/2		1/2	2,520.30	1/2	2,243.47	1/2	1,966.65	1/2	1,689.82	1/2	1,412.98	1/2	1,136.15	1/2	859.32	1/2	582.49	1/2	305.66	1/2	30.28
3/4		3/4	2,514.54	3/4	2,237.70	3/4	1,960.88	3/4	1,684.05	3/4	1,407.22	3/4	1,130.39	3/4	853.55	3/4	576.72	3/4	299.90	3/4	25.23
4		4	2,508.77	4	2,231.94	4	1,955.11	4	1,678.28	4	1,401.45	4	1,124.62	4	847.79	4	570.95	4	294.13	4	20.18
1/4		1/4	2,503.00	1/4	2,226.17	1/4	1,949.35	1/4	1,672.51	1/4	1,395.68	1/4	1,118.85	1/4	842.02	1/4	565.19	1/4	288.36	1/4	16.82
1/2		1/2	2,497.23	1/2	2,220.40	1/2	1,943.58	1/2	1,666.75	1/2	1,389.92	1/2	1,113.08	1/2	836.25	1/2	559.42	1/2	282.60	1/2	13.45
3/4		3/4	2,491.47	3/4	2,214.63	3/4	1,937.81	3/4	1,660.98	3/4	1,384.15	3/4	1,107.32	3/4	830.48	3/4	553.65	3/4	276.83	3/4	10.08
5		5	2,485.70	5	2,208.87	5	1,932.04	5	1,655.21	5	1,378.38	5	1,101.55	5	824.72	5	547.88	5	271.06	5	6.72
1/4		1/4	2,479.93	1/4	2,203.10	1/4	1,926.28	1/4	1,649.45	1/4	1,372.61	1/4	1,095.78	1/4	818.95	1/4	542.12	1/4	265.29	1/4	5.27
1/2		1/2	2,474.16	1/2	2,197.33	1/2	1,920.51	1/2	1,643.68	1/2	1,366.85	1/2	1,090.01	1/2	813.18	1/2	536.35	1/2	259.53	1/2	3.83
3/4		3/4	2,468.40	3/4	2,191.56	3/4	1,914.74	3/4	1,637.91	3/4	1,361.08	3/4	1,084.25	3/4	807.41	3/4	530.58	3/4	253.76	3/4	2.39
6		6	2,462.63	6	2,185.80	6	1,908.98	6	1,632.14	6	1,355.31	6	1,078.48	6	801.65	6	524.82	6	247.99	6	0.95
1/4		1/4	2,456.86	1/4	2,180.03	1/4	1,903.21	1/4	1,626.38	1/4	1,349.54	1/4	1,072.71	1/4	795.88	1/4	519.05	1/4	242.23	1/4	
1/2		1/2	2,451.09	1/2	2,174.26	1/2	1,897.44	1/2	1,620.61	1/2	1,343.78	1/2	1,066.94	1/2	790.11	1/2	513.28	1/2	236.46	1/2	
3/4		3/4	2,445.33	3/4	2,168.50	3/4	1,891.67	3/4	1,614.84	3/4	1,338.01	3/4	1,061.18	3/4	784.35	3/4	507.51	3/4	230.69	3/4	
7		7	2,439.56	7	2,162.73	7	1,885.91	7	1,609.07	7	1,332.24	7	1,055.41	7	778.58	7	501.75	7	224.92	7	
1/4		1/4	2,433.79	1/4	2,156.96	1/4	1,880.14	1/4	1,603.31	1/4	1,326.47	1/4	1,049.64	1/4	772.81	1/4	495.98	1/4	219.16	1/4	
1/2	2,651.52	1/2	2,428.03	1/2	2,151.19	1/2	1,874.37	1/2	1,597.54	1/2	1,320.71	1/2	1,043.88	1/2	767.04	1/2	490.21	1/2	213.39	1/2	
3/4	2,651.04	3/4	2,422.26	3/4	2,145.43	3/4	1,868.60	3/4	1,591.77	3/4	1,314.94	3/4	1,038.11	3/4	761.28	3/4	484.45	3/4	207.62	3/4	
8	2,649.60	8	2,416.49	8	2,139.66	8	1,862.84	8	1,586.00	8	1,309.17	8	1,032.34	8	755.51	8	478.68	8	201.85	8	
1/4	2,648.16	1/4	2,410.72	1/4	2,133.89	1/4	1,857.07	1/4	1,580.24	1/4	1,303.41	1/4	1,026.57	1/4	749.74	1/4	472.91	1/4	196.09	1/4	
1/2	2,646.72	1/2	2,404.96	1/2	2,128.13	1/2	1,851.30	1/2	1,574.47	1/2	1,297.64	1/2	1,020.81	1/2	743.97	1/2	467.14	1/2	190.32	1/2	
3/4	2,645.28	3/4	2,399.19	3/4	2,122.36	3/4	1,845.53	3/4	1,568.70	3/4	1,291.87	3/4	1,015.04	3/4	738.21	3/4	461.38	3/4	184.55	3/4	
9	2,642.87	9	2,393.42	9	2,116.59	9	1,839.77	9	1,562.94	9	1,286.10	9	1,009.27	9	732.44	9	455.61	9	178.78	9	
1/4	2,640.46	1/4	2,387.65	1/4	2,110.82	1/4	1,834.00	1/4	1,557.17	1/4	1,280.34	1/4	1,003.50	1/4	726.67	1/4	449.84	1/4	173.02	1/4	
1/2	2,638.06	1/2	2,381.89	1/2	2,105.06	1/2	1,828.23	1/2	1,551.40	1/2	1,274.57	1/2	997.74	1/2	720.90	1/2	444.08	1/2	167.25	1/2	
3/4	2,635.65	3/4	2,376.12	3/4	2,099.29	3/4	1,822.47	3/4	1,545.63	3/4	1,268.80	3/4	991.97	3/4	715.14	3/4	438.31	3/4	161.48	3/4	
10	2,632.29	10	2,370.35	10	2,093.52	10	1,816.70	10	1,539.87	10	1,263.03	10	986.20	10	709.37	10	432.54	10	155.71	10	
1/4	2,628.93	1/4	2,364.58	1/4	2,087.76	1/4	1,810.93	1/4	1,534.10	1/4	1,257.27	1/4	980.43	1/4	703.60	1/4	426.77	1/4	149.95	1/4	
1/2	2,625.56	1/2	2,358.82	1/2	2,081.99	1/2	1,805.16	1/2	1,528.33	1/2	1,251.50	1/2	974.67	1/2	697.84	1/2	421.01	1/2	144.18	1/2	
3/4	2,622.20	3/4	2,353.05	3/4	2,076.22	3/4	1,799.40	3/4	1,522.56	3/4	1,245.73	3/4	968.90	3/4	692.07	3/4	415.24	3/4	138.41	3/4	
11	2,617.87	11	2,347.28	11	2,070.45	11	1,793.63	11	1,516.80	11	1,239.96	11	963.13	11	686.30	11	409.47	11	132.64	11	
1/4	2,613.55	1/4	2,341.52	1/4	2,064.69	1/4	1,787.86	1/4	1,511.03	1/4	1,234.20	1/4	957.37	1/4	680.53	1/4	403.71	1/4	126.88	1/4	
1/2	2,609.22	1/2	2,335.75	1/2	2,058.92	1/2	1,782.09	1/2	1,505.26	1/2	1,228.43	1/2	951.60	1/2	674.77	1/2	397.94	1/2	121.11	1/2	
3/4	2,604.90	3/4	2,329.98	3/4	2,053.15	3/4	1,776.33	3/4	1,499.49	3/4	1,222.66	3/4	945.83	3/4	669.00	3/4	392.17	3/4	115.34	3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF GAUGE HATCH, OPPOSITE HINGE.
LOCATED 3'-3" OFF CENTERLINE AND 3'-6" FORWARD OF AFT. BULKHEAD.
NOTE: CAPACITY TABLE APPLIES ONLY WHEN BARGE IS ON EVEN KEEL.
NOTE: CAPACITY TABLE CANCELS & SUPERSEDES ALL PREVIOUS STRAPPINGS DUE TO NEW GAUGE HEIGHTS.

ITS - CALEB BRETT

DATE REMEASURED: 6/10/02 BY: DB-KF
DATE COMPUTED: 7/31/02 BY: KS
DATE ISSUED: 7/31/02



BARGE "BUNKER NEW ENGLAND"

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 12'- 5 1/4"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.
0		0	2,583.75	0	2,306.92	0	2,030.09	0	1,753.26	0	1,476.42	0	1,199.59	0	922.76	0	645.93	0	369.11	0	92.27
1/4		1/4	2,577.98	1/4	2,301.15	1/4	2,024.32	1/4	1,747.49	1/4	1,470.66	1/4	1,193.83	1/4	916.99	1/4	640.17	1/4	363.34	1/4	86.50
1/2		1/2	2,572.21	1/2	2,295.38	1/2	2,018.55	1/2	1,741.72	1/2	1,464.89	1/2	1,188.06	1/2	911.23	1/2	634.40	1/2	357.57	1/2	80.74
3/4		3/4	2,566.45	3/4	2,289.61	3/4	2,012.79	3/4	1,735.95	3/4	1,459.12	3/4	1,182.29	3/4	905.46	3/4	628.63	3/4	351.80	3/4	74.97
1		1	2,560.68	1	2,283.85	1	2,007.02	1	1,730.19	1	1,453.36	1	1,176.52	1	899.69	1	622.87	1	346.04	1	69.20
1/4		1/4	2,554.91	1/4	2,278.08	1/4	2,001.25	1/4	1,724.42	1/4	1,447.59	1/4	1,170.76	1/4	893.92	1/4	617.10	1/4	340.27	1/4	63.43
1/2		1/2	2,549.14	1/2	2,272.31	1/2	1,995.48	1/2	1,718.65	1/2	1,441.82	1/2	1,164.99	1/2	888.16	1/2	611.33	1/2	334.50	1/2	57.67
3/4		3/4	2,543.37	3/4	2,266.55	3/4	1,989.72	3/4	1,712.89	3/4	1,436.05	3/4	1,159.22	3/4	882.39	3/4	605.56	3/4	328.73	3/4	51.90
2		2	2,537.61	2	2,260.78	2	1,983.95	2	1,707.12	2	1,430.29	2	1,153.45	2	876.62	2	599.80	2	322.97	2	46.13
1/4		1/4	2,531.84	1/4	2,255.01	1/4	1,978.18	1/4	1,701.35	1/4	1,424.52	1/4	1,147.69	1/4	870.85	1/4	594.03	1/4	317.20	1/4	40.37
1/2		1/2	2,526.07	1/2	2,249.25	1/2	1,972.42	1/2	1,695.58	1/2	1,418.75	1/2	1,141.92	1/2	865.09	1/2	588.26	1/2	311.43	1/2	35.32
3/4		3/4	2,520.30	3/4	2,243.48	3/4	1,966.65	3/4	1,689.82	3/4	1,412.98	3/4	1,136.15	3/4	859.32	3/4	582.50	3/4	305.67	3/4	30.27
3		3	2,514.54	3	2,237.71	3	1,960.88	3	1,684.05	3	1,407.22	3	1,130.38	3	853.55	3	576.73	3	299.90	3	25.22
1/4		1/4	2,508.77	1/4	2,231.94	1/4	1,955.11	1/4	1,678.28	1/4	1,401.45	1/4	1,124.62	1/4	847.79	1/4	570.96	1/4	294.13	1/4	20.18
1/2		1/2	2,503.00	1/2	2,226.18	1/2	1,949.35	1/2	1,672.51	1/2	1,395.68	1/2	1,118.85	1/2	842.02	1/2	565.19	1/2	288.36	1/2	16.81
3/4		3/4	2,497.23	3/4	2,220.41	3/4	1,943.58	3/4	1,666.75	3/4	1,389.91	3/4	1,113.08	3/4	836.25	3/4	559.43	3/4	282.60	3/4	13.45
4		4	2,491.47	4	2,214.64	4	1,937.81	4	1,660.98	4	1,384.15	4	1,107.32	4	830.48	4	553.66	4	276.83	4	10.08
1/4		1/4	2,485.70	1/4	2,208.88	1/4	1,932.04	1/4	1,655.21	1/4	1,378.38	1/4	1,101.55	1/4	824.72	1/4	547.89	1/4	271.06	1/4	6.72
1/2		1/2	2,479.93	1/2	2,203.11	1/2	1,926.28	1/2	1,649.44	1/2	1,372.61	1/2	1,095.78	1/2	818.95	1/2	542.13	1/2	265.29	1/2	5.28
3/4		3/4	2,474.16	3/4	2,197.34	3/4	1,920.51	3/4	1,643.68	3/4	1,366.85	3/4	1,090.01	3/4	813.18	3/4	536.36	3/4	259.53	3/4	3.83
5		5	2,468.40	5	2,191.57	5	1,914.74	5	1,637.91	5	1,361.08	5	1,084.25	5	807.41	5	530.59	5	253.76	5	2.39
1/4		1/4	2,462.63	1/4	2,185.81	1/4	1,908.97	1/4	1,632.14	1/4	1,355.31	1/4	1,078.48	1/4	801.65	1/4	524.82	1/4	247.99	1/4	0.95
1/2		1/2	2,456.86	1/2	2,180.04	1/2	1,903.21	1/2	1,626.38	1/2	1,349.54	1/2	1,072.71	1/2	795.88	1/2	519.06	1/2	242.22	1/2	
3/4		3/4	2,451.09	3/4	2,174.27	3/4	1,897.44	3/4	1,620.61	3/4	1,343.78	3/4	1,066.94	3/4	790.11	3/4	513.29	3/4	236.46	3/4	
6		6	2,445.33	6	2,168.50	6	1,891.67	6	1,614.84	6	1,338.01	6	1,061.18	6	784.34	6	507.52	6	230.69	6	
1/4		1/4	2,439.56	1/4	2,162.74	1/4	1,885.91	1/4	1,609.07	1/4	1,332.24	1/4	1,055.41	1/4	778.58	1/4	501.75	1/4	224.92	1/4	
1/2		1/2	2,433.79	1/2	2,156.97	1/2	1,880.14	1/2	1,603.31	1/2	1,326.47	1/2	1,049.64	1/2	772.81	1/2	495.99	1/2	219.16	1/2	
3/4	2,651.52	3/4	2,428.03	3/4	2,151.20	3/4	1,874.37	3/4	1,597.54	3/4	1,320.71	3/4	1,043.87	3/4	767.04	3/4	490.22	3/4	213.39	3/4	
7	2,651.04	7	2,422.26	7	2,145.44	7	1,868.60	7	1,591.77	7	1,314.94	7	1,038.11	7	761.28	7	484.45	7	207.62	7	
1/4	2,649.59	1/4	2,416.49	1/4	2,139.67	1/4	1,862.84	1/4	1,586.00	1/4	1,309.17	1/4	1,032.34	1/4	755.51	1/4	478.69	1/4	201.85	1/4	
1/2	2,648.15	1/2	2,410.72	1/2	2,133.90	1/2	1,857.07	1/2	1,580.24	1/2	1,303.40	1/2	1,026.57	1/2	749.74	1/2	472.92	1/2	196.09	1/2	
3/4	2,646.71	3/4	2,404.96	3/4	2,128.13	3/4	1,851.30	3/4	1,574.47	3/4	1,297.64	3/4	1,020.81	3/4	743.98	3/4	467.15	3/4	190.32	3/4	
8	2,645.27	8	2,399.19	8	2,122.37	8	1,845.53	8	1,568.70	8	1,291.87	8	1,015.04	8	738.21	8	461.38	8	184.55	8	
1/4	2,642.87	1/4	2,393.42	1/4	2,116.60	1/4	1,839.77	1/4	1,562.93	1/4	1,286.10	1/4	1,009.27	1/4	732.44	1/4	455.62	1/4	178.78	1/4	
1/2	2,640.46	1/2	2,387.66	1/2	2,110.83	1/2	1,834.00	1/2	1,557.17	1/2	1,280.34	1/2	1,003.50	1/2	726.67	1/2	449.85	1/2	173.02	1/2	
3/4	2,638.06	3/4	2,381.89	3/4	2,105.06	3/4	1,828.23	3/4	1,551.40	3/4	1,274.57	3/4	997.74	3/4	720.91	3/4	444.08	3/4	167.25	3/4	
9	2,635.66	9	2,376.12	9	2,099.30	9	1,822.46	9	1,545.63	9	1,268.80	9	991.97	9	715.14	9	438.31	9	161.48	9	
1/4	2,632.29	1/4	2,370.35	1/4	2,093.53	1/4	1,816.70	1/4	1,539.87	1/4	1,263.03	1/4	986.20	1/4	709.37	1/4	432.55	1/4	155.71	1/4	
1/2	2,628.93	1/2	2,364.59	1/2	2,087.76	1/2	1,810.93	1/2	1,534.10	1/2	1,257.27	1/2	980.43	1/2	703.61	1/2	426.78	1/2	149.95	1/2	
3/4	2,625.57	3/4	2,358.82	3/4	2,081.99	3/4	1,805.16	3/4	1,528.33	3/4	1,251.50	3/4	974.67	3/4	697.84	3/4	421.01	3/4	144.18	3/4	
10	2,622.20	10	2,353.05	10	2,076.23	10	1,799.40	10	1,522.56	10	1,245.73	10	968.90	10	692.07	10	415.24	10	138.41	10	
1/4	2,617.87	1/4	2,347.29	1/4	2,070.46	1/4	1,793.63	1/4	1,516.80	1/4	1,239.96	1/4	963.13	1/4	686.30	1/4	409.48	1/4	132.64	1/4	
1/2	2,613.55	1/2	2,341.52	1/2	2,064.69	1/2	1,787.86	1/2	1,511.03	1/2	1,234.20	1/2	957.36	1/2	680.54	1/2	403.71	1/2	126.88	1/2	
3/4	2,609.22	3/4	2,335.75	3/4	2,058.93	3/4	1,782.09	3/4	1,505.26	3/4	1,228.43	3/4	951.60	3/4	674.77	3/4	397.94	3/4	121.11	3/4	
11	2,604.89	11	2,329.98	11	2,053.16	11	1,776.33	11	1,499.49	11	1,222.66	11	945.83	11	669.00	11	392.18	11	115.34	11	
1/4	2,599.61	1/4	2,324.22	1/4	2,047.39	1/4	1,770.56	1/4	1,493.73	1/4	1,216.89	1/4	940.06	1/4	663.24	1/4	386.41	1/4	109.57	1/4	
1/2	2,594.32	1/2	2,318.45	1/2	2,041.62	1/2	1,764.79	1/2	1,487.96	1/2	1,211.13	1/2	934.30	1/2	657.47	1/2	380.64	1/2	103.81	1/2	
3/4	2,589.03	3/4	2,312.68	3/4	2,035.86	3/4	1,759.02	3/4	1,482.19	3/4	1,205.36	3/4	928.53	3/4	651.70	3/4	374.87	3/4	98.04	3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF GAUGE HATCH, OPPOSITE HINGE.
LOCATED 3'- 3" OFF CENTERLINE AND 3'- 6" FORWARD OF AFT. BULKHEAD.
NOTE: CAPACITY TABLE APPLIES ONLY WHEN BARGE IS ON EVEN KEEL.
NOTE: CAPACITY TABLE CANCELS & SUPERSEDES ALL PREVIOUS STRAPPINGS DUE TO NEW GAUGE HEIGHTS.

ITS - CALEB BRETT

DATE REMEASURED: 6/10/02 BY: DB-KF
DATE COMPUTED: 7/31/02 BY: KS
DATE ISSUED: 7/31/02

Caleb Brett

BARGE "BUNKER NEW ENGLAND"

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 12'- 5 1/4"


IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.
0		0	2,582.94	0	2,306.20	0	2,029.45	0	1,752.71	0	1,475.97	0	1,199.22	0	922.47	0	645.73	0	368.99	0	92.24
1/4		1/4	2,577.18	1/4	2,300.43	1/4	2,023.69	1/4	1,746.94	1/4	1,470.20	1/4	1,193.46	1/4	916.71	1/4	639.97	1/4	363.22	1/4	86.48
1/2		1/2	2,571.41	1/2	2,294.66	1/2	2,017.92	1/2	1,741.18	1/2	1,464.44	1/2	1,187.69	1/2	910.94	1/2	634.20	1/2	357.46	1/2	80.71
3/4		3/4	2,565.65	3/4	2,288.90	3/4	2,012.16	3/4	1,735.41	3/4	1,458.67	3/4	1,181.93	3/4	905.18	3/4	628.43	3/4	351.69	3/4	74.94
1		1	2,559.88	1	2,283.13	1	2,006.39	1	1,729.65	1	1,452.90	1	1,176.16	1	899.41	1	622.67	1	345.92	1	69.18
1/4		1/4	2,554.12	1/4	2,277.37	1/4	2,000.63	1/4	1,723.88	1/4	1,447.14	1/4	1,170.39	1/4	893.65	1/4	616.90	1/4	340.16	1/4	63.41
1/2		1/2	2,548.35	1/2	2,271.60	1/2	1,994.86	1/2	1,718.12	1/2	1,441.37	1/2	1,164.63	1/2	887.88	1/2	611.14	1/2	334.39	1/2	57.65
3/4		3/4	2,542.58	3/4	2,265.84	3/4	1,989.10	3/4	1,712.35	3/4	1,435.61	3/4	1,158.86	3/4	882.11	3/4	605.37	3/4	328.63	3/4	51.88
2		2	2,536.82	2	2,260.07	2	1,983.33	2	1,706.58	2	1,429.84	2	1,153.10	2	876.35	2	599.61	2	322.86	2	46.12
1/4		1/4	2,531.05	1/4	2,254.31	1/4	1,977.56	1/4	1,700.82	1/4	1,424.08	1/4	1,147.33	1/4	870.58	1/4	593.84	1/4	317.10	1/4	40.35
1/2		1/2	2,525.29	1/2	2,248.54	1/2	1,971.80	1/2	1,695.05	1/2	1,418.31	1/2	1,141.57	1/2	864.82	1/2	588.08	1/2	311.33	1/2	35.31
3/4		3/4	2,519.52	3/4	2,242.77	3/4	1,966.03	3/4	1,689.29	3/4	1,412.55	3/4	1,135.80	3/4	859.05	3/4	582.31	3/4	305.57	3/4	30.26
3		3	2,513.76	3	2,237.01	3	1,960.27	3	1,683.52	3	1,406.78	3	1,130.04	3	853.29	3	576.55	3	299.80	3	25.22
1/4		1/4	2,507.99	1/4	2,231.24	1/4	1,954.50	1/4	1,677.76	1/4	1,401.02	1/4	1,124.27	1/4	847.52	1/4	570.78	1/4	294.03	1/4	20.17
1/2		1/2	2,502.23	1/2	2,225.48	1/2	1,948.74	1/2	1,671.99	1/2	1,395.25	1/2	1,118.50	1/2	841.76	1/2	565.02	1/2	288.27	1/2	16.81
3/4		3/4	2,496.46	3/4	2,219.71	3/4	1,942.97	3/4	1,666.23	3/4	1,389.49	3/4	1,112.74	3/4	835.99	3/4	559.25	3/4	282.50	3/4	13.45
4		4	2,490.69	4	2,213.95	4	1,937.21	4	1,660.46	4	1,383.72	4	1,106.97	4	830.22	4	553.48	4	276.74	4	10.08
1/4		1/4	2,484.93	1/4	2,208.18	1/4	1,931.44	1/4	1,654.69	1/4	1,377.95	1/4	1,101.21	1/4	824.46	1/4	547.72	1/4	270.97	1/4	6.72
1/2		1/2	2,479.16	1/2	2,202.42	1/2	1,925.68	1/2	1,648.93	1/2	1,372.19	1/2	1,095.44	1/2	818.69	1/2	541.95	1/2	265.21	1/2	5.28
3/4		3/4	2,473.40	3/4	2,196.65	3/4	1,919.91	3/4	1,643.16	3/4	1,366.42	3/4	1,089.68	3/4	812.93	3/4	536.19	3/4	259.44	3/4	3.84
5		5	2,467.63	5	2,190.88	5	1,914.15	5	1,637.40	5	1,360.66	5	1,083.91	5	807.16	5	530.42	5	253.67	5	2.39
1/4		1/4	2,461.87	1/4	2,185.12	1/4	1,908.38	1/4	1,631.63	1/4	1,354.89	1/4	1,078.14	1/4	801.40	1/4	524.66	1/4	247.91	1/4	0.95
1/2		1/2	2,456.10	1/2	2,179.35	1/2	1,902.61	1/2	1,625.87	1/2	1,349.13	1/2	1,072.38	1/2	795.63	1/2	518.89	1/2	242.14	1/2	
3/4		3/4	2,450.34	3/4	2,173.59	3/4	1,896.85	3/4	1,620.10	3/4	1,343.36	3/4	1,066.61	3/4	789.87	3/4	513.13	3/4	236.38	3/4	
6		6	2,444.57	6	2,167.82	6	1,891.08	6	1,614.34	6	1,337.60	6	1,060.85	6	784.10	6	507.36	6	230.61	6	
1/4		1/4	2,438.80	1/4	2,162.06	1/4	1,885.32	1/4	1,608.57	1/4	1,331.83	1/4	1,055.08	1/4	778.33	1/4	501.60	1/4	224.85	1/4	
1/2		1/2	2,433.04	1/2	2,156.29	1/2	1,879.55	1/2	1,602.80	1/2	1,326.07	1/2	1,049.32	1/2	772.57	1/2	495.83	1/2	219.08	1/2	
3/4	2,650.70	3/4	2,427.27	3/4	2,150.53	3/4	1,873.79	3/4	1,597.04	3/4	1,320.30	3/4	1,043.55	3/4	766.80	3/4	490.06	3/4	213.32	3/4	
7	2,650.21	7	2,421.51	7	2,144.76	7	1,868.02	7	1,591.27	7	1,314.53	7	1,037.79	7	761.04	7	484.30	7	207.55	7	
1/4	2,648.77	1/4	2,415.74	1/4	2,139.00	1/4	1,862.26	1/4	1,585.51	1/4	1,308.77	1/4	1,032.02	1/4	755.27	1/4	478.53	1/4	201.79	1/4	
1/2	2,647.33	1/2	2,409.98	1/2	2,133.23	1/2	1,856.49	1/2	1,579.74	1/2	1,303.00	1/2	1,026.25	1/2	749.51	1/2	472.77	1/2	196.02	1/2	
3/4	2,645.89	3/4	2,404.21	3/4	2,127.46	3/4	1,850.72	3/4	1,573.98	3/4	1,297.24	3/4	1,020.49	3/4	743.74	3/4	467.00	3/4	190.25	3/4	
8	2,644.44	8	2,398.45	8	2,121.70	8	1,844.96	8	1,568.21	8	1,291.47	8	1,014.72	8	737.98	8	461.24	8	184.49	8	
1/4	2,642.04	1/4	2,392.68	1/4	2,115.93	1/4	1,839.19	1/4	1,562.45	1/4	1,285.71	1/4	1,008.96	1/4	732.21	1/4	455.47	1/4	178.72	1/4	
1/2	2,639.64	1/2	2,386.91	1/2	2,110.17	1/2	1,833.43	1/2	1,556.68	1/2	1,279.94	1/2	1,003.19	1/2	726.45	1/2	449.71	1/2	172.96	1/2	
3/4	2,637.24	3/4	2,381.15	3/4	2,104.40	3/4	1,827.66	3/4	1,550.92	3/4	1,274.17	3/4	997.43	3/4	720.68	3/4	443.94	3/4	167.19	3/4	
9	2,634.84	9	2,375.38	9	2,098.64	9	1,821.90	9	1,545.15	9	1,268.41	9	991.66	9	714.92	9	438.17	9	161.43	9	
1/4	2,631.48	1/4	2,369.62	1/4	2,092.87	1/4	1,816.13	1/4	1,539.39	1/4	1,262.64	1/4	985.90	1/4	709.15	1/4	432.41	1/4	155.66	1/4	
1/2	2,628.11	1/2	2,363.85	1/2	2,087.11	1/2	1,810.37	1/2	1,533.62	1/2	1,256.88	1/2	980.13	1/2	703.38	1/2	426.64	1/2	149.90	1/2	
3/4	2,624.74	3/4	2,358.09	3/4	2,081.34	3/4	1,804.60	3/4	1,527.85	3/4	1,251.11	3/4	974.36	3/4	697.62	3/4	420.88	3/4	144.13	3/4	
10	2,621.38	10	2,352.32	10	2,075.58	10	1,798.83	10	1,522.09	10	1,245.35	10	968.60	10	691.85	10	415.11	10	138.37	10	
1/4	2,617.06	1/4	2,346.56	1/4	2,069.81	1/4	1,793.07	1/4	1,516.32	1/4	1,239.58	1/4	962.83	1/4	686.09	1/4	409.35	1/4	132.60	1/4	
1/2	2,612.73	1/2	2,340.79	1/2	2,064.05	1/2	1,787.30	1/2	1,510.56	1/2	1,233.82	1/2	957.07	1/2	680.32	1/2	403.58	1/2	126.83	1/2	
3/4	2,608.41	3/4	2,335.02	3/4	2,058.28	3/4	1,781.54	3/4	1,504.79	3/4	1,228.05	3/4	951.30	3/4	674.56	3/4	397.81	3/4	121.07	3/4	
11	2,604.09	11	2,329.26	11	2,052.51	11	1,775.77	11	1,499.03	11	1,222.28	11	945.54	11	668.79	11	392.05	11	115.30	11	
1/4	2,598.80	1/4	2,323.49	1/4	2,046.75	1/4	1,770.01	1/4	1,493.26	1/4	1,216.52	1/4	939.77	1/4	663.03	1/4	386.28	1/4	109.54	1/4	
1/2	2,593.52	1/2	2,317.73	1/2	2,040.98	1/2	1,764.24	1/2	1,487.50	1/2	1,210.75	1/2	934.00	1/2	657.26	1/2	380.52	1/2	103.77	1/2	
3/4	2,588.23	3/4	2,311.96	3/4	2,035.22	3/4	1,758.47	3/4	1,481.73	3/4	1,204.99	3/4	928.24	3/4	651.50	3/4	374.75	3/4	98.01	3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF GAUGE HATCH, OPPOSITE HINGE.
LOCATED 3'- 3" OFF CENTERLINE AND 3'- 6" FORWARD OF AFT. BULKHEAD.
NOTE: CAPACITY TABLE APPLIES ONLY WHEN BARGE IS ON EVEN KEEL.
NOTE: CAPACITY TABLE CANCELS & SUPERSEDES ALL PREVIOUS STRAPPINGS DUE TO NEW GAUGE HEIGHTS.

ITS - CALEB BRETT

DATE REMEASURED: 6/10/02 BY: DB-KF
DATE COMPUTED: 7/31/02 BY: KS
DATE ISSUED: 7/31/02



BARGE "BUNKER NEW ENGLAND"

4 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 12'- 5 1/2"


IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.
0		0	2,830.10	0	2,528.02	0	2,225.41	0	1,922.81	0	1,620.20	0	1,317.60	0	1,014.99	0	712.38	0	409.77	0	107.16
1/4		1/4	2,824.32	1/4	2,521.71	1/4	2,219.11	1/4	1,916.50	1/4	1,613.90	1/4	1,311.29	1/4	1,008.69	1/4	706.07	1/4	403.46	1/4	100.86
1/2		1/2	2,818.01	1/2	2,515.41	1/2	2,212.80	1/2	1,910.20	1/2	1,607.59	1/2	1,304.99	1/2	1,002.38	1/2	699.77	1/2	397.16	1/2	94.56
3/4		3/4	2,811.71	3/4	2,509.11	3/4	2,206.50	3/4	1,903.89	3/4	1,601.29	3/4	1,298.68	3/4	996.08	3/4	693.46	3/4	390.85	3/4	88.25
1		1	2,805.41	1	2,502.80	1	2,200.20	1	1,897.59	1	1,594.98	1	1,292.38	1	989.77	1	687.16	1	384.55	1	81.95
1/4		1/4	2,799.10	1/4	2,496.50	1/4	2,193.89	1/4	1,891.29	1/4	1,588.68	1/4	1,286.07	1/4	983.47	1/4	680.86	1/4	378.25	1/4	75.64
1/2		1/2	2,792.80	1/2	2,490.19	1/2	2,187.59	1/2	1,884.98	1/2	1,582.38	1/2	1,279.77	1/2	977.16	1/2	674.55	1/2	371.94	1/2	69.34
3/4		3/4	2,786.49	3/4	2,483.89	3/4	2,181.28	3/4	1,878.68	3/4	1,576.07	3/4	1,273.47	3/4	970.86	3/4	668.25	3/4	365.64	3/4	63.03
2		2	2,780.19	2	2,477.58	2	2,174.98	2	1,872.37	2	1,569.77	2	1,267.16	2	964.56	2	661.94	2	359.33	2	56.73
1/4		1/4	2,773.88	1/4	2,471.28	1/4	2,168.67	1/4	1,866.07	1/4	1,563.46	1/4	1,260.86	1/4	958.25	1/4	655.64	1/4	353.03	1/4	50.43
1/2		1/2	2,767.58	1/2	2,464.98	1/2	2,162.37	1/2	1,859.76	1/2	1,557.16	1/2	1,254.55	1/2	951.95	1/2	649.33	1/2	346.72	1/2	44.12
3/4		3/4	2,761.28	3/4	2,458.67	3/4	2,156.07	3/4	1,853.46	3/4	1,550.85	3/4	1,248.25	3/4	945.64	3/4	643.03	3/4	340.42	3/4	38.61
3		3	2,754.97	3	2,452.37	3	2,149.76	3	1,847.16	3	1,544.55	3	1,241.94	3	939.34	3	636.72	3	334.12	3	33.09
1/4		1/4	2,748.67	1/4	2,446.06	1/4	2,143.46	1/4	1,840.85	1/4	1,538.25	1/4	1,235.64	1/4	933.03	1/4	630.42	1/4	327.81	1/4	27.57
1/2		1/2	2,742.36	1/2	2,439.76	1/2	2,137.15	1/2	1,834.55	1/2	1,531.94	1/2	1,229.34	1/2	926.73	1/2	624.11	1/2	321.51	1/2	22.06
3/4		3/4	2,736.06	3/4	2,433.45	3/4	2,130.85	3/4	1,828.24	3/4	1,525.64	3/4	1,223.03	3/4	920.43	3/4	617.81	3/4	315.20	3/4	18.38
4		4	2,729.76	4	2,427.15	4	2,124.54	4	1,821.94	4	1,519.33	4	1,216.73	4	914.12	4	611.51	4	308.90	4	14.70
1/4		1/4	2,723.45	1/4	2,420.85	1/4	2,118.24	1/4	1,815.63	1/4	1,513.03	1/4	1,210.42	1/4	907.82	1/4	605.20	1/4	302.59	1/4	11.02
1/2		1/2	2,717.15	1/2	2,414.54	1/2	2,111.94	1/2	1,809.33	1/2	1,506.72	1/2	1,204.12	1/2	901.51	1/2	598.90	1/2	296.29	1/2	7.35
3/4		3/4	2,710.84	3/4	2,408.24	3/4	2,105.63	3/4	1,803.03	3/4	1,500.42	3/4	1,197.81	3/4	895.21	3/4	592.59	3/4	289.99	3/4	5.77
5		5	2,704.54	5	2,401.93	5	2,099.33	5	1,796.72	5	1,494.12	5	1,191.51	5	888.90	5	586.29	5	283.68	5	4.19
1/4		1/4	2,698.23	1/4	2,395.63	1/4	2,093.02	1/4	1,790.42	1/4	1,487.81	1/4	1,185.21	1/4	882.60	1/4	579.98	1/4	277.38	1/4	2.62
1/2		1/2	2,691.93	1/2	2,389.32	1/2	2,086.72	1/2	1,784.11	1/2	1,481.51	1/2	1,178.90	1/2	876.29	1/2	573.68	1/2	271.07	1/2	1.04
3/4		3/4	2,685.63	3/4	2,383.02	3/4	2,080.41	3/4	1,777.81	3/4	1,475.20	3/4	1,172.60	3/4	869.99	3/4	567.37	3/4	264.77	3/4	
6		6	2,679.32	6	2,376.72	6	2,074.11	6	1,771.50	6	1,468.90	6	1,166.29	6	863.69	6	561.07	6	258.46	6	
1/4		1/4	2,673.02	1/4	2,370.41	1/4	2,067.81	1/4	1,765.20	1/4	1,462.59	1/4	1,159.99	1/4	857.38	1/4	554.77	1/4	252.16	1/4	
1/2		1/2	2,666.71	1/2	2,364.11	1/2	2,061.50	1/2	1,758.90	1/2	1,456.29	1/2	1,153.68	1/2	851.08	1/2	548.46	1/2	245.86	1/2	
3/4		3/4	2,660.41	3/4	2,357.80	3/4	2,055.20	3/4	1,752.59	3/4	1,449.99	3/4	1,147.38	3/4	844.77	3/4	542.16	3/4	239.55	3/4	
7	2,898.40	7	2,654.10	7	2,351.50	7	2,048.89	7	1,746.29	7	1,443.68	7	1,141.08	7	838.47	7	535.85	7	233.25	7	
1/4	2,897.88	1/4	2,647.80	1/4	2,345.19	1/4	2,042.59	1/4	1,739.98	1/4	1,437.38	1/4	1,134.77	1/4	832.16	1/4	529.55	1/4	226.94	1/4	
1/2	2,896.30	1/2	2,641.50	1/2	2,338.89	1/2	2,036.28	1/2	1,733.68	1/2	1,431.07	1/2	1,128.47	1/2	825.86	1/2	523.24	1/2	220.64	1/2	
3/4	2,894.72	3/4	2,635.19	3/4	2,332.59	3/4	2,029.98	3/4	1,727.37	3/4	1,424.77	3/4	1,122.16	3/4	819.55	3/4	516.94	3/4	214.34	3/4	
8	2,893.15	8	2,628.89	8	2,326.28	8	2,023.68	8	1,721.07	8	1,418.46	8	1,115.86	8	813.25	8	510.64	8	208.03	8	
1/4	2,891.57	1/4	2,622.58	1/4	2,319.98	1/4	2,017.37	1/4	1,714.77	1/4	1,412.16	1/4	1,109.55	1/4	806.95	1/4	504.33	1/4	201.73	1/4	
1/2	2,888.94	1/2	2,616.28	1/2	2,313.67	1/2	2,011.07	1/2	1,708.46	1/2	1,405.86	1/2	1,103.25	1/2	800.64	1/2	498.03	1/2	195.42	1/2	
3/4	2,886.31	3/4	2,609.97	3/4	2,307.37	3/4	2,004.76	3/4	1,702.16	3/4	1,399.55	3/4	1,096.95	3/4	794.34	3/4	491.72	3/4	189.12	3/4	
9	2,883.69	9	2,603.67	9	2,301.06	9	1,998.46	9	1,695.85	9	1,393.25	9	1,090.64	9	788.03	9	485.42	9	182.81	9	
1/4	2,881.06	1/4	2,597.37	1/4	2,294.76	1/4	1,992.15	1/4	1,689.55	1/4	1,386.94	1/4	1,084.34	1/4	781.73	1/4	479.11	1/4	176.51	1/4	
1/2	2,877.38	1/2	2,591.06	1/2	2,288.46	1/2	1,985.85	1/2	1,683.24	1/2	1,380.64	1/2	1,078.03	1/2	775.42	1/2	472.81	1/2	170.21	1/2	
3/4	2,873.71	3/4	2,584.76	3/4	2,282.15	3/4	1,979.55	3/4	1,676.94	3/4	1,374.33	3/4	1,071.73	3/4	769.12	3/4	466.51	3/4	163.90	3/4	
10	2,870.03	10	2,578.45	10	2,275.85	10	1,973.24	10	1,670.64	10	1,368.03	10	1,065.42	10	762.81	10	460.20	10	157.60	10	
1/4	2,866.35	1/4	2,572.15	1/4	2,269.54	1/4	1,966.94	1/4	1,664.33	1/4	1,361.73	1/4	1,059.12	1/4	756.51	1/4	453.90	1/4	151.29	1/4	
1/2	2,861.62	1/2	2,565.84	1/2	2,263.24	1/2	1,960.63	1/2	1,658.03	1/2	1,355.42	1/2	1,052.82	1/2	750.20	1/2	447.59	1/2	144.99	1/2	
3/4	2,856.90	3/4	2,559.54	3/4	2,256.93	3/4	1,954.33	3/4	1,651.72	3/4	1,349.12	3/4	1,046.51	3/4	743.90	3/4	441.29	3/4	138.69	3/4	
11	2,852.17	11	2,553.24	11	2,250.63	11	1,948.02	11	1,645.42	11	1,342.81	11	1,040.21	11	737.60	11	434.98	11	132.38	11	
1/4	2,847.44	1/4	2,546.93	1/4	2,244.33	1/4	1,941.72	1/4	1,639.11	1/4	1,336.51	1/4	1,033.90	1/4	731.29	1/4	428.68	1/4	126.08	1/4	
1/2	2,841.66	1/2	2,540.63	1/2	2,238.02	1/2	1,935.42	1/2	1,632.81	1/2	1,330.20	1/2	1,027.60	1/2	724.99	1/2	422.38	1/2	119.77	1/2	
3/4	2,835.88	3/4	2,534.32	3/4	2,231.72	3/4	1,929.11	3/4	1,626.51	3/4	1,323.90	3/4	1,021.29	3/4	718.68	3/4	416.07	3/4	113.47	3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF GAUGE HATCH, OPPOSITE HINGE.
LOCATED 3'- 3" OFF CENTERLINE AND 67'- 1" FORWARD OF AFT. BULKHEAD.
NOTE: CAPACITY TABLE APPLIES ONLY WHEN BARGE IS ON EVEN KEEL.
NOTE: CAPACITY TABLE CANCELS & SUPERSEDES ALL PREVIOUS STRAPPINGS DUE TO NEW GAUGE HEIGHTS.

ITS - CALEB BRETT

DATE REMEASURED: 6/10/02 BY: DB-KF
DATE COMPUTED: 7/31/02 BY: KS
DATE ISSUED: 7/31/02



BARGE "BUNKER NEW ENGLAND"

4 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 12'- 6"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.
0		0	2,842.20	0	2,541.11	0	2,238.44	0	1,935.78	0	1,633.11	0	1,330.45	0	1,027.79	0	725.12	0	422.46	0	119.80
1/4		1/4	2,836.42	1/4	2,534.80	1/4	2,232.14	1/4	1,929.47	1/4	1,626.81	1/4	1,324.15	1/4	1,021.48	1/4	718.82	1/4	416.16	1/4	113.50
1/2		1/2	2,830.64	1/2	2,528.49	1/2	2,225.83	1/2	1,923.17	1/2	1,620.50	1/2	1,317.84	1/2	1,015.18	1/2	712.51	1/2	409.85	1/2	107.19
3/4		3/4	2,824.86	3/4	2,522.19	3/4	2,219.53	3/4	1,916.86	3/4	1,614.20	3/4	1,311.53	3/4	1,008.87	3/4	706.21	3/4	403.55	3/4	100.88
1		1	2,818.55	1	2,515.88	1	2,213.22	1	1,910.56	1	1,607.89	1	1,305.23	1	1,002.56	1	699.90	1	397.24	1	94.58
1/4		1/4	2,812.25	1/4	2,509.58	1/4	2,206.91	1/4	1,904.25	1/4	1,601.59	1/4	1,298.92	1/4	996.26	1/4	693.60	1/4	390.94	1/4	88.27
1/2		1/2	2,805.94	1/2	2,503.27	1/2	2,200.61	1/2	1,897.95	1/2	1,595.28	1/2	1,292.62	1/2	989.95	1/2	687.29	1/2	384.63	1/2	81.97
3/4		3/4	2,799.63	3/4	2,496.97	3/4	2,194.30	3/4	1,891.64	3/4	1,588.98	3/4	1,286.31	3/4	983.65	3/4	680.98	3/4	378.33	3/4	75.66
2		2	2,793.33	2	2,490.66	2	2,188.00	2	1,885.33	2	1,582.67	2	1,280.01	2	977.34	2	674.68	2	372.02	2	69.36
1/4		1/4	2,787.02	1/4	2,484.36	1/4	2,181.69	1/4	1,879.03	1/4	1,576.36	1/4	1,273.70	1/4	971.04	1/4	668.37	1/4	365.72	1/4	63.05
1/2		1/2	2,780.72	1/2	2,478.05	1/2	2,175.39	1/2	1,872.72	1/2	1,570.06	1/2	1,267.40	1/2	964.73	1/2	662.07	1/2	359.41	1/2	56.74
3/4		3/4	2,774.41	3/4	2,471.75	3/4	2,169.08	3/4	1,866.42	3/4	1,563.75	3/4	1,261.09	3/4	958.43	3/4	655.76	3/4	353.11	3/4	50.44
3		3	2,768.11	3	2,465.44	3	2,162.78	3	1,860.11	3	1,557.45	3	1,254.78	3	952.12	3	649.46	3	346.80	3	44.13
1/4		1/4	2,761.80	1/4	2,459.13	1/4	2,156.47	1/4	1,853.81	1/4	1,551.14	1/4	1,248.48	1/4	945.82	1/4	643.15	1/4	340.50	1/4	38.61
1/2		1/2	2,755.49	1/2	2,452.83	1/2	2,150.16	1/2	1,847.50	1/2	1,544.84	1/2	1,242.17	1/2	939.51	1/2	636.85	1/2	334.19	1/2	33.10
3/4		3/4	2,749.19	3/4	2,446.52	3/4	2,143.86	3/4	1,841.20	3/4	1,538.53	3/4	1,235.87	3/4	933.20	3/4	630.54	3/4	327.89	3/4	27.58
4		4	2,742.88	4	2,440.22	4	2,137.55	4	1,834.89	4	1,532.23	4	1,229.56	4	926.90	4	624.24	4	321.58	4	22.06
1/4		1/4	2,736.58	1/4	2,433.91	1/4	2,131.25	1/4	1,828.58	1/4	1,525.92	1/4	1,223.26	1/4	920.59	1/4	617.93	1/4	315.27	1/4	18.38
1/2		1/2	2,730.27	1/2	2,427.61	1/2	2,124.94	1/2	1,822.28	1/2	1,519.62	1/2	1,216.95	1/2	914.29	1/2	611.62	1/2	308.97	1/2	14.70
3/4		3/4	2,723.97	3/4	2,421.30	3/4	2,118.64	3/4	1,815.97	3/4	1,513.31	3/4	1,210.65	3/4	907.98	3/4	605.32	3/4	302.66	3/4	11.02
5		5	2,717.66	5	2,415.00	5	2,112.33	5	1,809.67	5	1,507.00	5	1,204.34	5	901.68	5	599.01	5	296.36	5	7.35
1/4		1/4	2,711.35	1/4	2,408.69	1/4	2,106.03	1/4	1,803.36	1/4	1,500.70	1/4	1,198.04	1/4	895.37	1/4	592.71	1/4	290.05	1/4	5.77
1/2		1/2	2,705.05	1/2	2,402.38	1/2	2,099.72	1/2	1,797.06	1/2	1,494.39	1/2	1,191.73	1/2	889.07	1/2	586.40	1/2	283.75	1/2	4.19
3/4		3/4	2,698.74	3/4	2,396.08	3/4	2,093.42	3/4	1,790.75	3/4	1,488.09	3/4	1,185.42	3/4	882.76	3/4	580.10	3/4	277.44	3/4	2.62
6		6	2,692.44	6	2,389.77	6	2,087.11	6	1,784.45	6	1,481.78	6	1,179.12	6	876.46	6	573.79	6	271.14	6	1.04
1/4		1/4	2,686.13	1/4	2,383.47	1/4	2,080.80	1/4	1,778.14	1/4	1,475.48	1/4	1,172.81	1/4	870.15	1/4	567.49	1/4	264.83	1/4	
1/2		1/2	2,679.83	1/2	2,377.16	1/2	2,074.50	1/2	1,771.84	1/2	1,469.17	1/2	1,166.51	1/2	863.84	1/2	561.18	1/2	258.53	1/2	
3/4		3/4	2,673.52	3/4	2,370.86	3/4	2,068.19	3/4	1,765.53	3/4	1,462.87	3/4	1,160.20	3/4	857.54	3/4	554.88	3/4	252.22	3/4	
7		7	2,667.22	7	2,364.55	7	2,061.89	7	1,759.22	7	1,456.56	7	1,153.90	7	851.23	7	548.57	7	245.91	7	
1/4		1/4	2,660.91	1/4	2,358.25	1/4	2,055.58	1/4	1,752.92	1/4	1,450.26	1/4	1,147.59	1/4	844.93	1/4	542.26	1/4	239.61	1/4	
1/2	2,898.95	1/2	2,654.60	1/2	2,351.94	1/2	2,049.28	1/2	1,746.61	1/2	1,443.95	1/2	1,141.29	1/2	838.62	1/2	535.96	1/2	233.30	1/2	
3/4	2,898.43	3/4	2,648.30	3/4	2,345.64	3/4	2,042.97	3/4	1,740.31	3/4	1,437.64	3/4	1,134.98	3/4	832.32	3/4	529.65	3/4	227.00	3/4	
8		8	2,641.99	8	2,339.33	8	2,036.67	8	1,734.00	8	1,431.34	8	1,128.67	8	826.01	8	523.35	8	220.69	8	
1/4	2,895.28	1/4	2,635.69	1/4	2,333.02	1/4	2,030.36	1/4	1,727.70	1/4	1,425.03	1/4	1,122.37	1/4	819.71	1/4	517.04	1/4	214.39	1/4	
1/2	2,893.70	1/2	2,629.38	1/2	2,326.72	1/2	2,024.06	1/2	1,721.39	1/2	1,418.73	1/2	1,116.06	1/2	813.40	1/2	510.74	1/2	208.08	1/2	
3/4	2,892.12	3/4	2,623.08	3/4	2,320.41	3/4	2,017.75	3/4	1,715.09	3/4	1,412.42	3/4	1,109.76	3/4	807.09	3/4	504.43	3/4	201.77	3/4	
9	2,889.50	9	2,616.77	9	2,314.11	9	2,011.44	9	1,708.78	9	1,406.12	9	1,103.45	9	800.79	9	498.13	9	195.47	9	
1/4	2,886.87	1/4	2,610.47	1/4	2,307.80	1/4	2,005.14	1/4	1,702.47	1/4	1,399.81	1/4	1,097.15	1/4	794.48	1/4	491.82	1/4	189.16	1/4	
1/2	2,884.24	1/2	2,604.16	1/2	2,301.50	1/2	1,998.83	1/2	1,696.17	1/2	1,393.51	1/2	1,090.84	1/2	788.18	1/2	485.52	1/2	182.86	1/2	
3/4	2,881.61	3/4	2,597.86	3/4	2,295.19	3/4	1,992.53	3/4	1,689.86	3/4	1,387.20	3/4	1,084.54	3/4	781.87	3/4	479.21	3/4	176.55	3/4	
10	2,877.93	10	2,591.55	10	2,288.89	10	1,986.22	10	1,683.56	10	1,380.89	10	1,078.23	10	775.57	10	472.91	10	170.25	10	
1/4	2,874.26	1/4	2,585.24	1/4	2,282.58	1/4	1,979.92	1/4	1,677.25	1/4	1,374.59	1/4	1,071.93	1/4	769.26	1/4	466.60	1/4	163.94	1/4	
1/2	2,870.58	1/2	2,578.94	1/2	2,276.27	1/2	1,973.61	1/2	1,670.95	1/2	1,368.28	1/2	1,065.62	1/2	762.96	1/2	460.30	1/2	157.63	1/2	
3/4	2,866.90	3/4	2,572.63	3/4	2,269.97	3/4	1,967.31	3/4	1,664.64	3/4	1,361.98	3/4	1,059.31	3/4	756.65	3/4	453.99	3/4	151.33	3/4	
11	2,862.17	11	2,566.33	11	2,263.66	11	1,961.00	11	1,658.34	11	1,355.67	11	1,053.01	11	750.35	11	447.69	11	145.02	11	
1/4	2,857.44	1/4	2,560.02	1/4	2,257.36	1/4	1,954.69	1/4	1,652.03	1/4	1,349.37	1/4	1,046.70	1/4	744.04	1/4	441.38	1/4	138.72	1/4	
1/2	2,852.71	1/2	2,553.72	1/2	2,251.05	1/2	1,948.39	1/2	1,645.73	1/2	1,343.06	1/2	1,040.40	1/2	737.73	1/2	435.08	1/2	132.41	1/2	
3/4	2,847.98	3/4	2,547.41	3/4	2,244.75	3/4	1,942.08	3/4	1,639.42	3/4	1,336.76	3/4	1,034.09	3/4	731.43	3/4	428.77	3/4	126.11	3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF GAUGE HATCH, OPPOSITE HINGE, LOCATED 3'- 3" OFF CENTERLINE AND 67'- 1" FORWARD OF AFT. BULKHEAD.
NOTE: CAPACITY TABLE APPLIES ONLY WHEN BARGE IS ON EVEN KEEL.
NOTE: CAPACITY TABLE CANCELS & SUPERSEDES ALL PREVIOUS STRAPPINGS DUE TO NEW GAUGE HEIGHTS.

ITS - CALEB BRETT

DATE REMEASURED: 6/10/02 BY: DB-KF
DATE COMPUTED: 7/31/02 BY: KS
DATE ISSUED: 7/31/02

Caleb Brett